



TANGSHAN RUNFENG COMPOSITE MATERIALS CO., LTD.

Since 2004

FRP CATALOGUE



SGS

FDA

International Organization for Standardization
ISO
9001

ASTM
INTERNATIONAL

CATALOGUE

SKYLIGHT SHEET

- Normal series
- Light scattering series

ROOF & WALL SHEET

- Normal series
- Anti-corrosion series
- Anti-flaming series
- Reinforced series

GEL COAT PANEL

- Light weight series
- Heavy duty series
- Super smooth finish series

SANDWICH PANEL



FRP SKYLIGHT SHEET


Normal Series

- ◆ Unsaturated polyester resin
- ◆ 99.99% UV protection
- ◆ 85% light transmittance
- ◆ 20+ service year
- ◆ $-60^{\circ}\text{C}\sim+140^{\circ}\text{C}$ service temperature



Light Scattering Series

- ◆ Uniform and soft lighting
- ◆ 99.99% UV protection
- ◆ 80% light transmittance
- ◆ 20+ service year
- ◆ 80% scattering rate




FRP ROOF & WALL SHEET




Normal Series

- ◆ unsaturated polyester resin
- ◆ random chopped fiberglass




Anti-corrosion Series

- ◆ Vinyl ester resin
- ◆ random chopped fiberglass



Reinforced Series

- ◆ unsaturated polyester resin
- ◆ random chopped fiberglass
- ◆ continuous woven roving fiberglass




Anti-flaming Series

- ◆ Oxygen Index up to 30+
- ◆ flame-retarded resin
- ◆ random chopped fiberglass




FRP GEL COAT PANEL




LIGHT WEIGHT



ANTI MOIST



TEMPERATURE CHANGE



MOLD RESISTANCE



ANTI CHEMICAL CORROSION

Light Weight Series

Density is as low as 1.2 g/cm³, it brings you good mechanical strength as well as light weight.

Heavy Duty Series

Polyester resin, random chopped fiberglass and multilayer continuous woven roving fiberglass are to give the panel incomparable mechanical strength.

Super Smooth Finish Series


Super smooth finishes give dye sublimation and other applications requiring high finish smoothness a better output.



Personalized matching panel finish and color, just to meet more personalized needs.




FRP SANDWICH PANEL



Runfeng FRP sandwich panel gives customers the greatest flexibility in choosing core materials and FRP panels, which helps you meet the end market demand from multiple dimensions and increase profit margins.



ANTI NOISE



ANTI PRESURRE



HEAT INSULATION ANTI MOIST




COST EFFECTIVE



EASY CLEAN

RUNFENG COMPANY

Runfeng History



Advantage

				
12% R&D Staff	8000 m/day	15+ years experience	25+ service year	OEM service

We Serve



Contact

Name: Mandy Ge

Title: Global Sales Manager

Mob: + 86 15081649311

Email: sales07@frpexpert.com



[http:// www.rffrpsheet.com](http://www.rffrpsheet.com)

TANGSHAN RUNFENG COMPOSITE MATERIALS CO.,LTD

Runfeng International BD office

Add:Room 205, Hans Museum, Caochang Street, Lubei district, Tangshan, Hebei, China Tel: +86 15081649311

Runfeng Factory

Add:West of Western Outerring Road, South of Guihua Road of Fine Chemical Industrial Park, Nanpu Development Zone, Tangshan City, Hebei, China

Tel: +86 0315 5658866